

# JOURNAL OF PLASMA AND FUSION RESEARCH

*The Journal of the Japan Society of Plasma Science and Nuclear Fusion Research*

Vol. 87, No.9, September 2011

## Special Topic Article

Recent Progress and Issues of Tungsten Research for Fusion Reactor Plasma and Divertor	
1. Introduction .....	ASAKURA Nobuyuki 575
2. Progress in Transport and Control Studies of Tungsten in Tokamak Experiments .....	ASAKURA Nobuyuki and NAKANO Tomohide 577
3. Progress and Issues in PWI Studies of Tungsten for ITER .....	TOKITANI Masayuki and UEDA Yoshio 591
4. Progress and Issues of Modeling of the Tungsten Impurity Transport .....	HOSHINO Kazuo 600
5. Latest Status of Manufacturing Activity of ITER Divertor and Engineering Issues on Tungsten Divertor .....	SUZUKI Satoshi 607
6. Research Issues of Tungsten Control for a Fusion Reactor .....	ASAKURA Nobuyuki 615

## Special Topic Article

System Designs of a Magnetic Confinement Fusion Reactor using System Codes	
1. Introduction .....	OGAWA Yuichi 620
2. System Designs for a Tokamak Fusion Reactor .....	HIWATARI Ryoji 622
3. System Designs for a Helical Fusion Reactor .....	GOTO Takuya and SAGARA Akio 628
4. System Designs of Fusion Reactor and its Economic Analysis .....	HIWATARI Ryoji 633
5. Conclusion .....	OGAWA Yuichi 640

## Contributed Paper

Simulation Code Development of Laser Ablation on Ignition of Rocket Engine by Laser .....	FURUKAWA Hiroyuki, FUJITA Kazuhisa and MORIYA Shinichi 642
--	--

PFR Abstracts .....	650
---------------------	-----

Information .....	651
-------------------	-----

Plasma & Fusion Calendar .....	657
--------------------------------	-----

Announcement .....	659
--------------------	-----

## Cover

The behavior of  $H\alpha$  profile after supersonic molecular beam injection (SMBI) was measured in Heliotron J. Comparison between SMBI and gas puffing was carried out under the same ejected amount by using a shutter shown in (a). (b) and (c) show the time evolutions. The radial profiles are shown in (d). In SMBI case, the beam penetrates toward the magnetic axis, and the intensity outside the torus is higher than that inside the torus. The behavior of electron density profile was also measured using a newly developed microwave AM reflectometer. (Kiyofumi MUKAI *et al.*, Plasma and Fusion Research Vol. 6, 1402111 (2011) <http://www.jspf.or.jp/PFR/>)