

Erratum: Fokker-Planck Simulation Study of Hot-Tail Effect on Runaway Electron Generation in ITER Disruptions^{*)} [Plasma Fusion Res. 11, 2403023 (2016)]

Hideo NUGA, Akinobu MATSUYAMA¹⁾, Masatoshi YAGI¹⁾ and Atsushi FUKUYAMA

Kyoto University, Kyoto-Daigaku-Katsura, Nisikyo-Ward, Kyoto 615-8540, Japan

¹⁾*Japan Atomic Energy Agency, 2-166 Omotedate-Obuchi, Rokkasho 039-3212, Japan*

(Received 7 April 2016 / Accepted 7 April 2016)

© 2016 The Japan Society of Plasma Science and Nuclear Fusion Research

DOI: 10.1585/pfr.11.2903079

Typographical error occurred in the sentence after Eq. (5). It should be replaced by:

where σ_{\parallel} is the Spitzer conductivity $\sigma_{\text{sp}} = 1.96n_e q_e^2 \tau_e / m_e$ ($\sim 35.7 T_e^{3/2} / Z_{\text{eff}}$ [MA/V · m, T_e in keV]) with the neo-classical correction [7], $\tau_e = 3(2\pi)^{3/2} \epsilon_0^2 m_e^{1/2} T_e^{3/2} / Z_{\text{eff}} n_e q_e^4 \ln \Lambda$, $\tau_r = 4\pi \epsilon_0^2 m^2 c^3 / n_e q_e^4 \ln \Lambda$, $\varphi = 1 - 1.46\epsilon^{1/2} + 1.72\epsilon$, and ϵ is the inverse aspect ratio.

author's e-mail: nuga@p-grp.nucleng.kyoto-u.ac.jp

^{*)} This article is based on the presentation at the 25th International Toki Conference (ITC25).